

MATERIAL SAFETY DATA SHEET

(according to Regulation EC 1907/2006 – REACH)

1. Identification of the substance/mixture and of the company/undertaking							
1.1 P	Product name:			RACE SAE 10W/50			
	.2 Relevant identified uses of the substance or mixture:			Lubricant oil			
U	Uses advised against:			All except above mentioned			
	1.3 Details of the supplier of the safety data sheet:			Nils S.p.A. Via Stazione, 30 39014 Postal (BZ)			
R	Reference to safety data sheet:			Tel. +39 0473 29 24 Fax: +39 0473 29 12 Tel 0473 292400 <u>schedasicurezza@nils.it</u>	2 44	e-mail: <u>nils@nils.it</u> www.nils.eu	
1.4 E	.4 Emergency telephone number:			Nils spa:+39 0473 29 24 00 (only available during office hours) Centro Antiveleni Ospedale Niguarda Milano: 02 66101029			
2. H	lazaro	ls identif	ication				
R	2.1 Classification according to Regulation (EC) No. 1272/2008 (CLP-GHS):			None			
2.2 L	2.2 Label elements:			None			
Hazard statements H: Precautionary statements P:				/ / /			
2.3 Other hazards:			None				
3. C	compo	sition/in	formation	on ingredients			
C		l description us compone		Base oil and additives			
Nr. Cl	E	Nr. CAS	Nr. Reach	Description	%	Class. 1272/08	
/		/	1	/	/		
Additional information:				Highly refined mineral oil Free of PCB/PCT. Complete list of H hazard of this MSDS.		DMSO extract < 3%).	

RACE SAE 10W/50



4. First aid measures					
 4.1 Description of first aid measures -After inhalation: -After skin contact: -After eye contact: -After ingestion: 4.2 Most important symptoms and effects, both acute and delayed: 4.3 Indication of any immediate medical attention and special treatment needed: 4.1 Description of first aid measures 	Aerate the room, if necessary consult a doctor. Remove all contaminated clothing, wash off with soap and plenty of water. Rinse opened eye for several minutes under running water, if necessary consult a doctor. Do not induce vomiting in order to avoid pneumonia, seek medical attention. None None				
5. Firefighting measures					
5.1 Extinguishing media Suitable extinguishing media: Unsuitable extinguishing media:	CO ₂ , extinguishing powder, foam, sand. Waterjet (use water only to cool the around surfaces).				
5.2 Special hazards arising from the substance or mixture:	Carbon oxides, sulphur dioxide (SO ₂), nitrogen oxides, aliphatic and aromatic pyrolysis products.				
5.3 Advice for firefighters:	Body and respiratory protection devices.				
5.4 Additional information:	Do not allow the contaminated water into the sewage system.				
6. Accidental release measures					
6.1 Personal precautions, protective equipment and emergency procedures:	Avoid contact with skin and eyes. Take the precautions customary when handling chemicals. (Special protective equipment)				
6.2 Environmental precautions:	Do not allow to enter the product in sewage system, surface of ground water				
6.3 Methods and material for containment and cleaning up:	Use non-flammable absorbing products, sand, fossil meal, vermiculite. Attention danger of slipping				
6.4 Reference to other sections:	None				
7. Handling and storage					
 7.1 Precautions for safe handling: Information about protection against explosions and fires: 7.2 Conditions for safe storage, including any incompatibilities: 	Keep the site ventilated, avoid vapour respiration, prevent skin and eye contact Do not smoke, avoid contact with ignition sources. Avoid to store with oxidants, store in tightly closed original holders in a dry, cool and well-ventilated place, protect from direct sunlight and frost, do not store on temperatures lower than 0°C.				
7.3 Specific end use(s):	No data available				

RACE SAE 10W/50



8. Exposure controls/personal protection 8.1 **Control parameters:** TLV/TWA limit values for oil mist (8h): 5 mg/m³ 8.2 **Exposure controls** Personal protective equipment: -General protective and Avoid gas, vapour and aerosol respiration. Avoid prolonged hygiene measures: and intensive skin contact. Removed immediately contaminated clothing. Wash hands before breaks and after work. No particular protective measures required in well ventilated -Respiratory protection: site. Nitrile rubber oil resistant gloves, DIN/EN norm 374, -Hand protection: thickness 0.4mm, perforation time >240 min, use protective hand cream. -Eye protection: Safety glasses. -Body protection: Protective work clothing. 9. Physical and chemical properties Form: Liquid Colour: Characteristic Odour: Characteristic **Odour treshold:** Not determined Value Method Unit Flash point : >180 °С Density at 15°C: ca.0.857 DIN 51757 g/cm³ Solubility in/miscibility with water: Immiscible DIN 51562 Viscosity at 40°C: 107 mm²/s pH at 23°C and concentr. 50 g/l: DIN 51369 Not applicable Selfignition: Product is not self-ignitable Danger of explosion: Product is not explosive Drop point: Not applicable Initial ebolition point: Not determined Evaporation rate: Not determined Flammability (solid, gas): Not determined Lower explosive limits: Not determined Upper explosive limits: Not determined Vapour pressure: Not determined Vaopur density: Not determined Partition coefficient noctanol/water: Not determined Autoignition temperature: Not determined Decomposition temperature: Not determined **Oxidising properties:** Not determined 10. Stability and reactivity 10.1 No decomposition if used according to the specifications. **Reactivity:** 10.2 Chemical stability: Product is stabile during normal use. Possibility of hazardous 10.3 reactions: No dangerous reaction known. 10.4 Conditions to avoid: None under recommended storage and handling conditions. Incompatible materials: Strong oxidizing agents. 10.5 10.6 Hazardous decomposition When exposed to high temperatures: carbon oxides, products: nitrogen oxides, smokes, aldehydes, ketones, carboxylic acids, sulphur oxides (SO_x).

RACE SAE 10W/50



11.	11. Toxicological information					
11.1	Information on toxicological effects: -Inhalation: - swallowing: -skin contact: -eye contact: -sensitization:	Prolonged exposition to vapour or mist may cause irritation of respiratory tract. May cause irritation of digestive tract, vomit, nausea and diarrhoea. Frequent and prolonged contact with skin may degrease and irritate it. May cause irritation. No senziting effects known.				
12. Ecological information						
12.1 12.2 12.3 12.4 12.5	Toxicity: Persistence and degradability: Bioaccumulative potential: Mobility in soil: Results of PBT and vPvB	There are no data available on the product itself. Product is not easily biodegradable, do not allow to enter the product in sewage system, surface of ground water. There are no data available on the product itself. There are no data available on the product itself.				
12.5	assessment: Other adverse effects:	There are no data available on the product itself. There are no data available on the product itself.				
13.	13. Disposal considerations					
13.1	Waste treatment methods: -Recommendation: -Waste key: -Contaminated packaging:	Can not be disposed of together with household garbage. D not allow product to reach sewage system. 130 200 In accordance with local official regulations				
14.	Transport information					
14.1 14.2 14.3 14.4	UN number UN proper shipping name Transport hazard class(es) Packing group	The product does not constitute a hazardous substance in national / international road (ADR/RID), rail, sea (IMDG) an air transport (ICAO/IATA). / /				
14.5 14.6	Environmental hazards Special precautions for user	/ /				
15.	. Regulatory information					
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture:	Reg. CE 1272/2008 (CLP) Reg. CE 790/2009 (1° ATP CLP) Reg. 1907/2006 (Reach) Reg. UE 453/2010				
15.2	Chemical safety assessment:	There are no data available on the product itself.				



16. Other information

This MSDS was prepared in accordance to Regulation 1907/2006/CE (Reach).

Relevant R phrases and H hazard statements in point 3:

H hazard statements: None

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Last revision: 14.01.2016